

According to Regulation (EC) No 1907/2006

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



KLEEN
PURGATIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Power Strip Neutra

UFI code

* 4MJR-W7R9-CW0P-HE8P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product type

Basic cleaner for professional users.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email address

info@budich.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin irritation, hazard category 2

Eye irritation, hazard category 2

Hazard statements

H315, H319

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 01-2119475104-44-xxxx 603-096-00-8	5 - 10%	Eye Irrit. 2	H319 - -	-
2-phenoxyethanol	122-99-6 204-589-7 01-2119488943-21-xxxx 603-098-00-9	5 - 10%	Acute Tox. 4 - oral, Eye Irrit. 2	H302, H319 - -	-
3-butoxypropan-2-ol	5131-66-8 225-878-4 01-2119475527-28-xxxx 603-052-00-8	5 - 10%	Skin Irrit. 2, Eye Irrit. 2	H315, H319 - -	-
Isotridecanol, ethoxylated	69011-36-5 - - -	5 - <10%	Eye Dam. 1, Aquatic Chronic 3	H318, H412 - -	>10% Eye Dam. 1; H318 >1-10% Eye Irrit. 2; H319
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37-xxxx -	1 - 5%	Eye Irrit. 2	H319 - -	-
2-aminoethanol	141-43-5 205-483-3 01-2119486455-28-xxxx 603-030-00-8	1 - <2%	Acute Tox. 4 - oral, Acute Tox. 4 - dermal, Skin Corr. 1B, Acute Tox. 4 - inhalation	H302, H312, H314, H332 - -	STOT SE 3; H335: C ≥ 5 %;

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

Take the victim into fresh air. If symptoms persist, call a physician.

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



Skin contact

Wash off with soap and water.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician if necessary.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

May cause throat irritation.

Skin contact

May cause skin irritation.

Eye contact

May cause eye irritation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

Wash hands after handling.

When using, do not eat, drink or smoke.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from food, drink and animal feeding stuffs.

Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

* GISCODE: GG50

See section 1.2: Basic cleaner

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m ³	Short-term exposure limit ppm / mg/m ³	Source	Remark	Year
2-(2-butoxyethoxy)ethanol (EU)	112-34-5	10	15	-	-	-
	203-961-6	67.5	101.2	-	-	-
2-aminoethanol (EU)	141-43-5	1	3	-	-	-
	205-483-3	2.5	7.6	-	-	-

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
3-butoxypropan-2-ol (5131-66-8/225-878-4)	DNEL	Chronic (long term) Oral	12.5 mg/kg	Consumers	Systemic
3-butoxypropan-2-ol (5131-66-8/225-878-4)	DNEL	Chronic (long term) Dermal	52 mg/kg	Workers	Systemic
3-butoxypropan-2-ol (5131-66-8/225-878-4)	DNEL	Chronic (long term) Inhalation	147 mg/m ³	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Dermal	136.25 mg/kg	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Inhalation	26.9 mg/m ³	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Dermal	0.096 mg/cm ²	Workers	Local
sodium p-cumenesulphonate (15763-76-5/239-854-6)	DNEL	Chronic (long term) Oral	3.8 mg/kg	Consumers	Systemic
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Inhalation	67.5 mg/m ³	Workers	Systemic
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Acute (short term) Inhalation	101.2 mg/m ³	Workers	Local
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Dermal	20 mg/kg	Workers	Systemic
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	DNEL	Chronic (long term) Oral	1.25 mg/kg	Consumers	Systemic
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Oral	3.75 mg/kg	Consumers	Systemic
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Dermal	1 mg/kg	Workers	Systemic

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21



KLEEN
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
2-aminoethanol (141-43-5/205-483-3)	DNEL	Chronic (long term) Inhalation	3.3 mg/m ³	Workers	Local

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Freshwater	0.525 mg/l
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Sewage Treatment Plant	10 mg/l
3-butoxypropan-2-ol (5131-66-8/225-878-4)	PNEC	Soil	0.16 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Freshwater	0.23 mg/l
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Sewage Treatment Plant	100 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Sediment (freshwater)	0.862 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-854-6)	PNEC	Soil	0.037 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Freshwater	1 mg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sewage Treatment Plant	200 mg/l
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Sediment (freshwater)	4.4 mg/kg
2-(2-butoxyethoxy)ethanol (112-34-5/203-961-6)	PNEC	Soil	0.32 mg/kg
2-aminoethanol (141-43-5/205-483-3)	PNEC	Freshwater	0.085 mg/l
2-aminoethanol (141-43-5/205-483-3)	PNEC	Sediment (freshwater)	0.434 mg/kg
2-aminoethanol (141-43-5/205-483-3)	PNEC	Soil	0.0367 mg/kg
2-aminoethanol (141-43-5/205-483-3)	PNEC	Sewage Treatment Plant	100 mg/l

According to Regulation (EC) No 1907/2006

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless

Odour

characteristic

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

According to Regulation (EC) No 1907/2006

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



KLEEN
PURGATIS

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

11

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

Water soluble

Water solubility

completely miscible

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1.007 g/cm³

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

* 18,7%

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

According to Regulation (EC) No 1907/2006

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
2-phenoxy-ethanol 122-99-6 / 204-589-7	LD50	1850 mg/kg	Oral	-	rat	-
2-phenoxy-ethanol 122-99-6 / 204-589-7	LD50	> 5000 mg/kg	Dermal	-	rabbit	-
3-butoxypropan-2-ol 5131-66-8 / 225-878-4	LD50	3.300 mg/kg	Oral	-	rat	-

According to Regulation (EC) No 1907/2006

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21

KLEEN
 PURGATIS

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
3-butoxypropan-2-ol 5131-66-8 / 225-878-4	LD50	>2.000 mg/kg	Skin contact	-	rat	-
sodium p-cumene-sulphonate 15763-76-5 / 239-854-6	LD50	> 5.000 mg/kg	Oral	-	rat	OECD 401
sodium p-cumene-sulphonate 15763-76-5 / 239-854-6	LC50	> 5 mg/l	Inhalation	232 min.	rat	-
sodium p-cumene-sulphonate 15763-76-5 / 239-854-6	LD50	> 2.000 mg/kg	Dermal	-	rabbit	-
2-(2-butoxyethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.410 mg/kg	Oral	-	mouse	OECD 401
2-(2-butoxyethoxy)ethanol 112-34-5 / 203-961-6	LD50	2.764 mg/kg	Skin contact	-	rabbit	OECD 402
2-aminoethanol 141-43-5 / 205-483-3	-	1.089 mg/kg	Oral	-	-	-
2-aminoethanol 141-43-5 / 205-483-3	-	1.010 mg/kg	Dermal	-	-	-
2-aminoethanol 141-43-5 / 205-483-3	-	11 mg/l	Inhalative	4 h	-	-
Isotridecanol, ethoxylated 69011-36-5 /	LD50	>2.000 mg/kg	Oral	-	rat	-

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21



Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes eye irritation.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity

Toxicology data for the components.

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
2-phenoxy-ethanol 122-99-6 / 204-589-7	LC50	> 100 mg/l	96 h	Pimephales promelas (fathead minnow)	-	-

According to Regulation (EC) No 1907/2006

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21



Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
3-butoxypropan-2-ol 5131-66-8 / 225-878-4	LC50	560-1.000 mg/l	96h	Poecilia reticulata	-	-
sodium p-cumene-sulphonate 15763-76-5 / 239-854-6	LC50	>100 mg/l	96 h	Oncorhynchus mykiss	Static test	literature value
2-(2-butoxyethoxy)ethanol 112-34-5 / 203-961-6	LC50	1.300 mg/l	96h	Lepomis macrochirus	OECD 203	-
2-aminoethanol 141-43-5 / 205-483-3	LC50	349 mg/l	96 h	Carp	-	-
Isotridecanol, ethoxylated 69011-36-5 /	LC50	>1-10 mg/l	96h	Carp	OECD 203	-

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
2-phenoxyethanol 122-99-6 / 204-589-7	ErC50	> 100 mg/l	72 h	algae	-	-
3-butoxypropan-2-ol 5131-66-8 / 225-878-4	EC50	>1.000 mg/l	96h	Pseudokirchnerie lla subcapitata	-	-
sodium p-cumene-sulphonate 15763-76-5 / 239-854-6	EC50	>100mg/l	96 h	Pseudokirchnerie lla subcapitata	Static test	literature value

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
2-(2-butoxy ethoxy)ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	96h	Scenedesmus subspicatus	OECD 201	-
2-aminoethanol 141-43-5 / 205-483-3	EC50	2,1 mg/l	72 h	Pseudokirchnerie lla subcapitata	-	-
Isotridecanol, ethoxylated 69011-36-5 /	EC10	0,6mg/l	-	algae	-	-

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
3-butoxypropan-2-ol 5131-66-8 / 225- 878-4	EC50	>1.000 mg/l	48h	Daphnia magna	-	-
sodium p-cumene-sulphonate 15763-76-5 / 239-854-6	EC50	>100 mg/l	48 h	Daphnia magna	Static test	literature value
2-(2-butoxy-ethoxy)ethanol 112-34-5 / 203-961-6	EC50	>100 mg/l	48h	Daphnia magna	-	-
2-aminoethanol 141-43-5 / 205-483-3	EC50	27,04 mg/l	48 h	Daphnia magna (Water flea)	-	-
Isotridecanol, ethoxylated 69011-36-5 /	EC50	>1-10 mg/l	48h	Daphnia magna (Water flea)	OECD 202	-
2-phenoxy-ethanol 122-99-6 / 204-589-7	EC50	> 100 mg/l	48 h	Daphnia magna (Water flea)	-	-

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
3-butoxypropan-2-ol 5131-66-8 / 225-878-4	EC50	>1.000 mg/l	3h	Bacteria (activated sludge)	-
sodium p-cumenesulphonate 15763-76-5 / 239-854-6	EC10	>1.000 mg/l	3 h	Activated sludge	OECD 209
2-(2-butoxy-ethoxy)ethanol 112-34-5 / 203-961-6	EC10	>1995 mg/l	0,5h	Activated sludge	OECD 209

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential

Not available

12.4. Mobility in soil

Mobility

Not available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Power Strip Neutra

Version number: 7.0
 Issued: 2022-06-23
 Replaces SDS: 2021-10-21



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

Waste code	Description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

Other

Not applicable

Power Strip Neutra

Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: <5% non-ionic surfactants, anionic surfactants.

Regulation (EC) No. 1272/2008 (CLP)

EU Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adjustment of the product formulation (see section 3).

Changes compared to the previous version are marked with an * in the relevant sections.

Power Strip Neutra



Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21

Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR - Accord relatif au transport international des marchandises Dangereuses par Route
CAS - Chemical Abstract Service
CLP - Classification, Labelling and Packaging
DMEL - Derived Minimum Effect Level
DNEL - Derived no effect level
EC50 - Half maximal effective concentration 50%
GHS - Globally Harmonised System
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Lethal concentration 50%
LD50 - Lethal dosis 50 %
MARPOL - International Convention for the Prevention of Pollution from Ships
PBT - Persistent, bioaccumulative and toxic substance
PEC - Predicted Environmental Concentration
PNEC - predicted no effect concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals
RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses
SVHC - Substance of very high concern
vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method

Power Strip Neutra



Version number: 7.0
Issued: 2022-06-23
Replaces SDS: 2021-10-21

Phrase meaning

Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Eye Irrit. 2 - Eye irritation, hazard category 2
Skin Irrit. 2 - Skin irritation, hazard category 2
Acute Tox. 4 - dermal - Acute toxicity, dermal, hazard category 4
Skin Corr. 1B - Skin corrosion, hazard category 1B
Acute Tox. 4 - inhalation - Acute toxicity, inhalation, hazard category 4
Eye Dam. 1 - Serious eye damage, hazard category 1
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H412 Harmful to aquatic life with long lasting effects.

Other

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.