

According to Regulation (EC) No 1907/2006

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



KLEEN
PURGATIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Purina

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use

Fat Solvent for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10

32120 Hiddenhausen

Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

<https://www.kleenpurgatis.de>

Contact person

Regulatory Affairs

Email address

info@budich.de

1.4. Emergency telephone number

+49 (0) 551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Danger classes

Skin corrosion, hazard category 1A

Hazard statements

H314

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

More information

Hazardous components which must be listed on the label : sodium hydroxide, potassium hydroxide

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
2-butoxyethanol	111-76-2 203-905-0 01-2119475108-36-xxxx 603-014-00-0	10 - 20%	Skin Irrit. 2, Eye Irrit. 2, Acute Tox. 4 - oral, Acute Tox. 4 - dermal, Acute Tox. 4 - inhalation	H302, H312, H315, H319, H332 - -	-
sodium p-cumenesulphonate	15763-76-5 239-584-6 01-2119489411-37-xxxx -	1 - 5%	Eye Irrit. 2	H319 - -	-
Alcohols, C12-14, ethoxylated	68439-50-9 - 01-2119487984-16-xxxx -	1 - 5%	Acute Tox. 4 - oral, Eye Dam. 1, Aquatic Chronic 3	H302, H318, H412 - -	-
potassium hydroxide	1310-58-3 215-181-3 01-2119487136-33-xxxx 019-002-00-8	1 - <2.5%	Skin Corr. 1A, Acute Tox. 4 - oral	H302, H314 - -	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %;
sodium hydroxide	1310-73-2 215-185-5 01-2119457892-27-xxxx 011-002-00-6	1 - <2.5%	Skin Corr. 1A	H314 - -	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %;

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

First responders: Pay attention to self-protection.

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



Inhalation

Take the victim into fresh air. If symptoms persist, call a physician.

Skin contact

If skin irritation persists, call a physician. In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.

Eye contact

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Get medical attention immediately.

Information for doctors

For specialist advice physicians should contact the Poisons Information Service.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

Skin contact

Causes severe skin burns. blistering

Eye contact

Liquid causes severe inflammation of conjunctiva and may cause severe damage of the cornea.

Ingestion

Ingestion of aqueous solution causes gastrointestinal burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

water spray, dry powder, foam, carbon dioxide (CO₂)

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



5.2. Special hazards arising from the substance or mixture

Corrosive .
Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Other

Measures in case of fire

Keep containers and surroundings cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation.

6.2. Environmental precautions

Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For personal protection see section 8.
For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas. Wear personal protective equipment.

General hygiene

Wash hands after handling.
When using, do not eat, drink or smoke.
Handle in accordance with good industrial hygiene and safety practice.

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15



7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from food, drink and animal feeding stuffs.

Store in a place accessible by authorized persons only.

Storage compatibility

Storage class according to TRGS 510: 8B (non-flammable, corrosive hazardous substances)

Requirements for storage rooms and containers

Suitable container and packaging materials for safe storage : Store in original container.

Unsuitable materials for containers : aluminium

Additional information on storage conditions

Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

GISCODE: GG90

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
potassium hydroxide (1310-58-3/215-181-3)	DNEL	Chronic (long term) Inhalation	1 mg/kg	Workers	Local
potassium hydroxide (1310-58-3/215-181-3)	DNEL	Chronic (long term) Inhalation	1 mg/kg	Consumers	Local
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m ³	Workers	Local
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m ³	Consumers	Local
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Chronic (long term) Inhalation	98 mg/m ³	Workers	Systemic
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Acute (short term) Inhalation	663 mg/m ³	Workers	Systemic
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Acute (short term) Inhalation	246 mg/m ³	Workers	Local
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Chronic (long term) Dermal	75 mg/kg	Workers	Systemic
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Acute (short term) Dermal	89 mg/kg	Workers	Systemic
2-butoxyethanol	DNEL	Chronic (long term)	49 mg/m ³	Consumers	Systemic

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15



Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
(111-76-2/203-905-0)		Inhalation			
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Acute (short term) Inhalation	426 mg/m ³	Consumers	Systemic
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Acute (short term) Inhalation	123 mg/m ³	Consumers	Local
2-butoxyethanol (111-76-2/203-905-0)	DNEL	Chronic (long term) Dermal	38 mg/kg	Consumers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Dermal	136.25 mg/kg	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Inhalation	26.9 mg/m ³	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Dermal	0.096 mg/cm ²	Workers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Inhalation	6.6 mg/m ³	Consumers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Dermal	68.1 mg/kg	Consumers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Oral	3.8 mg/kg	Consumers	Systemic
sodium p-cumenesulphonate (15763-76-5/239-584-6)	DNEL	Chronic (long term) Dermal	0.048 mg/cm ²	Consumers	Local

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
2-butoxyethanol (111-76-2/203-905-0)	PNEC	Freshwater	8.8 mg/l
2-butoxyethanol (111-76-2/203-905-0)	PNEC	Marine water	0.88 mg/l
2-butoxyethanol (111-76-2/203-905-0)	PNEC	Intermittent releases	9.1 mg/l
2-butoxyethanol (111-76-2/203-905-0)	PNEC	Sewage Treatment Plant	463 mg/l
2-butoxyethanol (111-76-2/203-905-0)	PNEC	Sediment (freshwater)	34.6 mg/kg dwt
2-butoxyethanol (111-76-2/203-905-0)	PNEC	Sediment (marine water)	3.46 mg/kg dwt
2-butoxyethanol	PNEC	Soil	2.8 mg/kg

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15



KLEEN
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
(111-76-2/203-905-0)			dwt
sodium p-cumenesulphonate (15763-76-5/239-584-6)	PNEC	Freshwater	0.23 mg/l
sodium p-cumenesulphonate (15763-76-5/239-584-6)	PNEC	Marine water	0.023 mg/l
sodium p-cumenesulphonate (15763-76-5/239-584-6)	PNEC	Sewage Treatment Plant	100 mg/kg
sodium p-cumenesulphonate (15763-76-5/239-584-6)	PNEC	Sediment (freshwater)	0.862 mg/kg dwt
sodium p-cumenesulphonate (15763-76-5/239-584-6)	PNEC	Sediment (marine water)	0.0862 mg/kg dwt
sodium p-cumenesulphonate (15763-76-5/239-584-6)	PNEC	Soil	0.037 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Chemical-resistant protective gloves (EN 374)

Suitable material: Butyl (butyl rubber) or NBR (nitrile rubber), category III according to EN 374.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Other skin protection

Not required.

Respiratory protection

No personal respiratory protective equipment normally required.

Thermal hazards

Not applicable

Environmental exposure controls

No special environmental precautions required.

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Yellow

Odour

fresh scent

Odour threshold

Not applicable.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

> 65 °C

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not applicable

pH

13.5

Method

pH concentrate

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

Not determined for the mixture.

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



Water solubility

miscible

Partition coefficient n-octanol/water

Not available

Vapour pressure

Not available

Density and/or relative density

1.05 g/cm³

Relative vapour density

Not applicable.

Evaporation Rate

Not determined for the mixture.

Explosive properties

Not explosive

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

13 %

9.2. Other information

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Avoid temperatures above 60°C, direct sunlight and contact with sources of heat.

10.5. Incompatible materials

strong acids , light metals

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Causes severe caustic burns to skin and eyes.

Acute toxicity

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
potassium hydroxide 1310-58-3 / 215-181-3	LD50	333-388 mg/kg	Oral	-	rat	-	ECHA
2- butoxyethanol 111-76-2 / 203-905-0	LD50	1414 mg/kg	Oral	-	guinea pig	-	-
2- butoxyethanol 111-76-2 / 203-905-0	LD50	2000 mg/kg	Dermal	-	rat	-	-
2- butoxyethanol 111-76-2 / 203-905-0	LC50	450 - 900 mg/l	Inhalation	-	rat	-	-
2- butoxyethanol 111-76-2 / 203-905-0	LD50	1000-2000 mg/kg	Oral	-	rat	-	-
2- butoxyethanol 111-76-2 / 203-905-0	LD50	1000-2000 mg/kg	Dermal	-	rabbit	-	-
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	LD50	> 5.000 mg/kg	Oral	-	rat	OECD test guideline401	-
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	LC50	> 5 mg/l	Inhalation	232 min.	rat	-	-
sodium p-cumenesulphonate	LD50	> 2.000 mg/kg	Dermal	-	rabbit	-	-

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15



KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
15763-76-5 / 239-584-6							
Alcohols, C12-14, ethoxylated 68439-50-9 /	LD50	<2.000 mg/kg	Oral	-	rat	-	-

Skin corrosion/irritation

Causes severe skin burns.

Serious eye damage/irritation

Causes severe eye burns.

Respiratory/skin sensitization

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Genotoxicity

Based on the available data, the classification criteria are not met.

Mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Repeated dose toxicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity

No data is available on the product itself.
 Toxicology data for the components.

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
2-butoxyethanol 111-76-2 / 203-905-0	LC50	1.474 mg/l	96 h	Rainbow trout	OECD Test Guideline 203	-
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	LC50	>100 mg/l	96 h	Rainbow trout	Static test	literature value

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Endpoint of the test	Species	Method / Guideline	Remark
2-butoxyethanol 111-76-2 / 203-905-0	EC50 NOEC	1.840 mg/l 286 mg/l	72 h	Growth rate	Pseudokirchneriella subcapitata	OECD Test Guideline 201	-
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	EC50	>100mg/l	96 h	-	Pseudokirchneriella subcapitata	Static test	literature value

Acute crustacean toxicity

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15



KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sodium hydroxide 1310-73-2 / 215-185-5	EC50	40,4 mg/l	48 h	Ceriodaphnia dubia (Wasserfloh)	-	ECHA
2-butoxyethanol 111-76-2 / 203-905-0	EC50	1.550 mg/l	48 h	Daphnia magna (Water flea)	OECD Test Guideline 202	-
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	EC50	>100 mg/l	48 h	Daphnia magna (Water flea)	Static test	literature value

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
2-butoxyethanol 111-76-2 / 203-905-0	EC0	700 mg/l	16 h	Pseudomonas putida	DIN 38412
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	EC10	>1.000 mg/l	3 h	Activated sludge	OECD test guideline 209

Chronical toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Endpoint of the test	Species	Method / Guideline
2-butoxyethanol 111-76-2 / 203-905-0	NOEL NOEC	>100 mg/l 100mg/l	21 d	Reproduction Test	Brachydanio rerio (zebra fish) Daphnia magna (Water flea)	OECD-Prüfrichtlinie 204 OECD-Prüfrichtlinie 211

12.2. Persistence and degradability

Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

Purina

Version number: 5
 Issued: 2021-08-10
 Replaces SDS: 2020-12-15



KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Type of test	Duration	Result	Method / Guideline	Remark
sodium p-cumenesulphonate 15763-76-5 / 239-584-6	aerobic	28 d	>60 %	OECD test guideline 301 B	Readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulative potential

No information is available for this item.

12.4. Mobility in soil

Mobility

No information is available for this item.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

Other adverse effects

There is no data available for this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Do not re-use empty containers.

Contaminated packaging : Dispose of as unused product.

Waste code	Description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

According to Regulation (EC) No 1907/2006

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15

KLEEN
PURGATIS

SECTION 14: Transport information

14.1. UN number

1814

14.2. UN proper shipping name

POTASSIUM HYDROXIDE SOLUTION

IMDG proper shipping name

POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

Label



8

ADR / RID Class

8

ADR / RID Classification code

C5

ADR / RID hazard identification number

80

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C5

14.4. Packing group

II

14.5. Environmental hazards

No

IMDG EmS

F-A, S-B

IMDG Marine Pollutant

No.

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



14.6. Special precautions for user

Tunnel restriction

E

Special Provisions

-

LQ

LQ: 1 L

EQ: E2

Transport category

2

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: <5% phosphonates, nonionic surfactants. Contains perfumes.

Regulation (EC) No. 1272/2008 (CLP)

EU Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR - Accord relatif au transport international des marchandises Dangereuses par Route

CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging

DMEL - Derived Minimum Effect Level

DNEL - Derived no effect level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonised System

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - predicted no effect concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses

SVHC - Substance of very high concern

vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]: calculation method

Purina

Version number: 5
Issued: 2021-08-10
Replaces SDS: 2020-12-15



Phrase meaning

Skin Corr. 1A - Skin corrosion, hazard category 1A
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Skin Irrit. 2 - Skin irritation, hazard category 2
Eye Irrit. 2 - Eye irritation, hazard category 2
Acute Tox. 4 - dermal - Acute toxicity, dermal, hazard category 4
Acute Tox. 4 - inhalation - Acute toxicity, inhalation, hazard category 4
Eye Dam. 1 - Serious eye damage, hazard category 1
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H412 Harmful to aquatic life with long lasting effects.

Other

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.