

According to Regulation (EC) No 1907/2006

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



KLEEN
PURGATIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Trymat All-in-one

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Dishwasher Tablets for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10
32120 Hiddenhausen
Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email address

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551 - 19240 (GIZ-Nord)

Available outside office hours

Yes

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Eye irritation, hazard category 2

Hazard statements

H319

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

Trymat All-in-one

Version number: 5
 Issued: 2022-03-15
 Replaces SDS: 2018-02-24

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
Sodium carbonate	497-19-8 207-838-8 01-2119485498-19-xxxx 011-005-00-2	25 - 50%	Eye Irrit. 2	H319 - -	-
Sodium percarbonate	15630-89-4 239-707-6 01-2119457268-30-xxxx -	5 - 10%	Ox. Sol. 3, Acute Tox. 4 - oral, Eye Dam. 1	H272, H302, H318 - -	Eye Dam.1 >25% Eye Irrit.2 ≥7,5% -<25%
Silicic acid, sodium salt	1344-09-8 215-687-4 01-2119448725-31-xxxx -	1 - 5%	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 - resp. tract irrit.	H315, H319, H335 - -	-
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	166736-08-9 605-450-7 - -	1 - 5%	Eye Irrit. 2	H319 - -	-
1-Hydroxyethane-1,1-diphosphonic acid	2809-21-4 220-552-8 01-2119510391-53-xxxx -	1 - 5%	Met. Corr. 1, Eye Dam. 1	H290, H318 - -	-
Subtilisin	9014-01-1 232-752-2 01-2119480434-38-xxxx 647-012-00-8	0.1 - <1%	Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3 - resp. tract irrit.	H315, H318, H334, H335 - -	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

If breathed in, move person into fresh air.

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



Skin contact

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Consult a physician if necessary.

Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Immediate effects can be expected after long-term exposure.

Inhalation

May cause respiratory irritation.

Skin contact

May cause skin irritation.

Eye contact

Eye irritation.

Ingestion

Stomach/intestinal disorders

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water spray, extinguishing powder, foam or carbon dioxide

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from children. Store in a place accessible by authorized persons only.

Keep in a dry, cool place.

Keep away from food, drink and animal feeding stuffs.

Storage class according to TRGS 510: 11 (Combustible Solids)

Store in original container.

Storage temperature: 10°C to 40°C

Trymat All-in-one

Version number: 5
 Issued: 2022-03-15
 Replaces SDS: 2018-02-24

7.3. Specific end use(s)

See section 1.2: Dishwasher Tablets

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
Sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m ³	Workers	Local
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Inhalation	5.61 mg/m ³	Workers	Systemic
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Dermal	1.59 mg/kg bw/day	Workers	Systemic
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Oral	0.8 mg/kg bw/day	Consumers	Systemic
Sodium percarbonate (15630-89-4/239-707-6)	DNEL	Acute (short term) Dermal	12.8 mg/cm ²	Workers	Local
Sodium percarbonate (15630-89-4/239-707-6)	DNEL	Chronic (long term) Inhalation	5 mg/m ³	Workers	Local
Subtilisin (9014-01-1/232-752-2)	DMEL	Chronic (long term) Inhalation	60 ng/m ³	Workers	Local

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Silicic acid, sodium salt (1344-09-8/215-687-4)	PNEC	Freshwater	7.5 mg/l
Silicic acid, sodium salt (1344-09-8/215-687-4)	PNEC	Sewage Treatment Plant	348 mg/l
Sodium percarbonate (15630-89-4/239-707-6)	PNEC	Freshwater	0.035 mg/l
Sodium percarbonate (15630-89-4/239-707-6)	PNEC	Sewage Treatment Plant	16.24 mg/l
Subtilisin (9014-01-1/232-752-2)	PNEC	Freshwater	0.06 µg/l
Subtilisin (9014-01-1/232-752-2)	PNEC	Sewage Treatment Plant	65000 µg/l

According to Regulation (EC) No 1907/2006

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



8.2. Exposure controls

Appropriate engineering controls

Not required.

Eye / face protection

Chemical-resistant safety glasses with side protection (EN 166)

Hand protection

Chemical-resistant protective gloves (EN 374)

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable.

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Tablet

Colour

3 phases (blue / yellow / white)

Odour

fresh scent

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not applicable.

Boiling point or initial boiling point and boiling range

Not applicable.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

According to Regulation (EC) No 1907/2006

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



KLEEN
PURGATIS

Flash point

No data available

Auto-ignition temperature

Not applicable.

Decomposition temperature

Not determined for the mixture.

pH

10 - 11

Method

1 % aqueous solution

Kinematic viscosity

Not applicable.

Viscosity, dynamic

Not applicable.

Solubility

Water soluble

Water solubility

completely soluble

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not applicable.

Density and/or relative density

Not determined for the mixture.

Relative density

Not determined for the mixture.

Relative vapour density

Not applicable.

Evaporation Rate

Not applicable.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

Trymat All-in-one

Version number: 5
 Issued: 2022-03-15
 Replaces SDS: 2018-02-24



VOC %

< 3 %

9.2. Other information

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use.

10.2. Chemical stability

Stable at normal conditions

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

Strong acids and strong bases
 Reducing agents
 Oxidizing agent

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.
 Hazardous decomposition products formed under fire conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components .

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
Sodium carbonate 497-19-8 / 207-838-8	LD50	2.800 mg/kg	Oral	-	rat	-
Sodium	LD50	>2.000mg/kg	Dermal	-	rabbit	-

According to Regulation (EC) No 1907/2006

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24

KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
carbonate 497-19-8 / 207-838-8						
Sodium carbonate 497-19-8 / 207-838-8	LC50	2.300 mg/m ³	Inhalativ	2h	rat	-
Sodium percarbonate 15630-89-4 / 239-707-6	LD50	1.034-2.000 mg/kg	Oral	-	rat	-
Sodium percarbonate 15630-89-4 / 239-707-6	LD50	> 2000 mg/kg	Dermal	-	rabbit	-
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether 166736-08-9 / 605-450-7	LD50	>2000 mg/kg	Oral	-	rat	-
1-hydroxyethane-1,1-diphosphonic acid 2809-21-4 / 220-552-8	LD50	1878 mg/kg	Oral	-	rat	-
Subtilisin 9014-01-1 / 232-752-2	LD50	1.800 mg/kg	Oral	-	rat	OECD TG 401

Skin corrosion/irritation

Based on the available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May produce an allergic reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Trymat All-in-one

Version number: 5
 Issued: 2022-03-15
 Replaces SDS: 2018-02-24

**Mutagenicity**

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information**12.1. Toxicity****Acute fish toxicity**

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Sodium carbonate 497-19-8 / 207-838-8	LC50	300 mg/l	96h	Lepomis macrochirus
Sodium percarbonate 15630-89-4 / 239-707-6	LC50	70,7 mg/l	96 h	Pimephales promelas
1-hydroxyethane-1,1- diphosphonic acid 2809-21-4 / 220-552-8	LC50	368 mg/l	96 h	Rainbow trout

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Sodium percarbonate	EC50	2,5 mg/l	-	C. vulgaris

Trymat All-in-one

Version number: 5
 Issued: 2022-03-15
 Replaces SDS: 2018-02-24



KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
15630-89-4 / 239-707-6				
1-hydroxyethane-1,1-diphosphonic acid 2809-21-4 / 220-552-8	EC50	7,2 mg/l	96 h	algae

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Sodium carbonate 497-19-8 / 207-838-8	EC50	200-227 mg/l	48h	Ceriodaphnia dubia
Sodium percarbonate 15630-89-4 / 239-707-6	EC50	4,9 mg/l	48 h	Daphnia magna (Water flea)
1-hydroxyethane-1,1-diphosphonic acid 2809-21-4 / 220-552-8	EC50	527 mg/l	48h	Daphnia magna (Water flea)

12.2. Persistence and degradability

Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

Trymat All-in-one



Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging: Dispose of as unused product.

Waste code	Description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

Other

Not applicable

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: > 30% phosphates, 5 - 15% oxygen-based bleaching agents, polycarboxylates, < 5 % non-ionic surfactants, phosphonates. Contains: enzymes (PROTEASE, AMYLASE), perfumes.

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

Trymat All-in-one

Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24



Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR - Accord relatif au transport international des marchandises Dangereuses par Route
CAS - Chemical Abstract Service
CLP - Classification, Labelling and Packaging
DMEL - Derived Minimum Effect Level
DNEL - Derived no effect level
EC50 - Half maximal effective concentration 50%
GHS - Globally Harmonised System
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Lethal concentration 50%
LD50 - Lethal dosis 50 %
MARPOL - International Convention for the Prevention of Pollution from Ships
PBT - Persistent, bioaccumulative and toxic substance
PEC - Predicted Environmental Concentration
PNEC - predicted no effect concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals
RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses
SVHC - Substance of very high concern
vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method

According to Regulation (EC) No 1907/2006

Trymat All-in-one



Version number: 5
Issued: 2022-03-15
Replaces SDS: 2018-02-24

Phrase meaning

Eye Irrit. 2 - Eye irritation, hazard category 2
Skin Irrit. 2 - Skin irritation, hazard category 2
STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
Ox. Sol. 3 - Oxidising solids, hazard category 3
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Eye Dam. 1 - Serious eye damage, hazard category 1
Met. Corr. 1 - Corrosive to metals, hazard category 1
Resp. Sens. 1 - Respiratory sensitisation, hazard category 1
H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Other

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.