

According to Regulation (EC) No 1907/2006

Premium № 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Premium № 1 viskos

UFI code

1XYM-89EN-FF1J-EEJ3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Viscous sanitary cleanser and descaler for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

KLEEN PURGATIS GmbH

Street address

Dieselstraße 10

32120 Hiddenhausen

Germany

Telephone

+49 (0) 5223 9970-40

Email

info@kleen-purgatis.de

Fax

+49 (0) 5223 9970-195

Web site

www.kleenpurgatis.de

Contact person

Regulatory Affairs

Email address

info@kleen-purgatis.de

1.4. Emergency telephone number

+49 (0)551- 19240 (GIZ-Nord)

Available outside office hours

Yes

Premium N° 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin irritation, hazard category 2

Eye irritation, hazard category 2

Hazard statements

H315, H319

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of water/soap.

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

Premium N° 1 viskos

Version number: 5.0
 Issued: 2021-08-20
 Replaces SDS: 2019-08-16



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
Sulphamidic acid	5329-14-6 226-218-8 01-2119488633- 28-xxxx 016-026-00-0	10 - <15%	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3	H315, H319, H412 - -	-
Ethanol	64-17-5 200-578-6 01-2119457610- 43-xxxx 603-002-00-5	1 - 5%	Flam. Liq. 2	H225 - -	-
Alcohols, C12-14, ethoxylated	68439-50-9 - 01-2119487984- 16-xxxx -	1 - <3%	Acute Tox. 4 - oral, Eye Dam. 1, Aquatic Chronic 3	H302, H318, H412 - -	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a physician if necessary.

Skin contact

If skin irritation persists, call a physician. In case of contact, immediately flush skin with plenty of water.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Do not induce vomiting. Drink water. Call physician immediately.

Premium N° 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



Information for doctors

Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

Skin contact

Causes skin irritation.

Eye contact

Causes eye irritation. Cloudy / blurred field of vision. / lachrymation .

Ingestion

Gastrointestinal discomfort, vomiting, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. water spray, extinguishing powder, foam or carbon dioxide.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Ensure adequate ventilation, especially in confined areas.
Avoid direct contact with the material / product.

Premium N° 1 viskos



Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product.

General hygiene

When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

GISCODE: GS35

See section 1.2: Sanitary cleaner

According to Regulation (EC) No 1907/2006

Premium N° 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
sulphamidic acid (5329-14-6/226-218-8)	DNEL	Chronic (long term) Inhalation	70.5 mg/m ³	Workers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Oral	87 mg/m ³	Consumers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Dermal	343 mg/m ³	Workers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Inhalation	950 mg/m ³	Workers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Freshwater	1.8 mg/l
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Sewage Treatment Plant	20 mg/l
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Sediment (freshwater)	0.36 mg/kg
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Soil	5 mg/kg
ethanol (64-17-5/200-578-6)	PNEC	Freshwater	0.96 mg/l
ethanol (64-17-5/200-578-6)	PNEC	Sediment (freshwater)	3.6 mg/kg
ethanol (64-17-5/200-578-6)	PNEC	Soil	0.63 mg/kg
ethanol (64-17-5/200-578-6)	PNEC	Sewage Treatment Plant	580 mg/l

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Chemical-resistant safety glasses with side protection (EN 166)

Premium N° 1 viskos



Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16

Hand protection

Protective gloves complying with EN 374.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Red

Odour

Fresh scent

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

The product / mixture has no explosive properties.

Flash point

No data available

Auto-ignition temperature

Not applicable.

According to Regulation (EC) No 1907/2006

Premium N° 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



KLEEN
PURGATIS

Decomposition temperature

Not determined for the mixture.

pH

1

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

0.4 Pa · s

Method

Rotational viscometer, 20°C

Solubility

Water soluble

Water solubility

Miscibility

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1.07 g/cm³

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

<3%

Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

9.2. Other information

No data available

Premium N° 1 viskos

Version number: 5.0
 Issued: 2021-08-20
 Replaces SDS: 2019-08-16



KLEEN
PURGATIS

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Strong acids and strong bases. Oxidizing agent.

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
sulphamic acid 5329-14-6 / 226-218-8	LD50	2.140 mg/kg	Oral	-	rat	-	ECHA
ethanol 64-17-5 / 200-578-6	LD50	10.470 mg/kg	Oral	-	rat	OECD 401	-
ethanol 64-17-5 / 200-578-6	LD50	> 2.000 mg/kg	Dermal	-	rabbit	OECD 402	-
ethanol 64-17-5 / 200-578-6	LC50	> 50 mg/l	Inhalation	4 h	rat	OECD 403	-
Alcohols, C12-	LD50	<2.000 mg/kg	Oral	-	rat	-	-

Premium N° 1 viskos

Version number: 5.0
 Issued: 2021-08-20
 Replaces SDS: 2019-08-16



KLEEN
PURGATIS

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
14, ethoxylated 68439-50-9 /							

Skin corrosion/irritation

Skin irritation, hazard category 2

Serious eye damage/irritation

Eye irritation, hazard category 2

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

Mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Exposure route	Target organs	Value / Dose	Species	Exposure time / Exposure frequency	Method / Guideline
ethanol 64-17-5 / 200-578-6	NOAEL (oral)	Liver	1.760 mg/kg	rat	90 d	OECD 408

Aspiration hazard

Based on the available data, the classification criteria are not met.

Premium N° 1 viskos

Version number: 5.0
 Issued: 2021-08-20
 Replaces SDS: 2019-08-16



KLEEN
PURGATIS

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sulphamidic acid 5329-14-6 / 226-218-8	LC50	70,3 mg/l	96 h	Pimephales promelas	OECD 203	ECHA
ethanol 64-17-5 / 200-578-6	LC50	8.140 mg/l	48 h	Golden orfe	-	-

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sulphamidic acid 5329-14-6 / 226-218-8	LC50	33,8 mg/l	72 h	Desmodesmus subspicatus	OECD 201	ECHA
ethanol 64-17-5 / 200-578-6	EC50	275 mg/l	72 h	Chlorella vulgaris (Fresh water algae)	OECD 201	-

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
ethanol 64-17-5 / 200-578-6	EC50	> 10.000 mg/l	48 h	Daphnia magna (Water flea)	-	-

Premium N° 1 viskos

Version number: 5.0
 Issued: 2021-08-20
 Replaces SDS: 2019-08-16

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sulphamidic acid 5329-14-6 / 226-218-8	EC50	71,6 mg/l	48 h	Daphnia magna	OECD 202	ECHA

12.2. Persistence and degradability

Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging : Dispose of as unused product.

Waste code	Description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

According to Regulation (EC) No 1907/2006

Premium N° 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3. Transport hazard class(es)

Label

Not classified as dangerous in the meaning of transport regulations.

14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5. Environmental hazards

Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Other

Not applicable

Premium N° 1 viskos



Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: <5% non-ionic surfactants, amphoteric surfactants. Contains: perfumes, ALPHA-ISOMETHYLIONONE, COUMARIN.

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

Premium N° 1 viskos



Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16

Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR - Accord relatif au transport international des marchandises Dangereuses par Route
CAS - Chemical Abstract Service
CLP - Classification, Labelling and Packaging
DMEL - Derived Minimum Effect Level
DNEL - Derived no effect level
EC50 - Half maximal effective concentration 50%
GHS - Globally Harmonised System
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Lethal concentration 50%
LD50 - Lethal dosis 50 %
MARPOL - International Convention for the Prevention of Pollution from Ships
PBT - Persistent, bioaccumulative and toxic substance
PEC - Predicted Environmental Concentration
PNEC - predicted no effect concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals
RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses
SVHC - Substance of very high concern
vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers
ECHA C&L - Inventory
Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:
Health hazards: calculation method

Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2
Eye Irrit. 2 - Eye irritation, hazard category 2
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
Flam. Liq. 2 - Flammable liquids, hazard category 2
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Eye Dam. 1 - Serious eye damage, hazard category 1
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

According to Regulation (EC) No 1907/2006

Premium N° 1 viskos

Version number: 5.0
Issued: 2021-08-20
Replaces SDS: 2019-08-16



Other

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.