

in accordance with Commission Regulation (EU) No. 1907/2006

Page: 1

Compilation date: 07.12.2010

Revision date: 25.09.2015

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: KLEEN HYGIENE OROSEPT K

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Desinfectant cleaner for professional users

1.3. Details of the supplier of the safety data sheet

Company name: KLEEN PURGATIS GmbH

Dieselstraße 10

D - 32120 Hiddenhausen

Deutschland

Tel: +49 (0)5223 - 9970-40

Fax: +49 (0)5223 - 9970-50

Email: info@kleen-purgatis.de

1.4. Emergency telephone number

Emergency tel: +49 (0)551 - 19240 (GIZ-Nord)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Classification under CHIP: Xi: R41

Most important adverse effects: Causes skin irritation. Causes serious eye damage.

*2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Hazard components for labelling:	Didecyldimethylammonium chloride, Fatty alcohol ethoxylate, tetrasodium ethylene diamine tetraacetate
Precautionary statements:	P102: Keep out of reach of children.
	P280: Wear eye protection.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

KLEEN HYGIENE OROSEPT K

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P312: Call a POISON CENTER or doctor if you feel unwell.

P501: Dispose of contents/container to problem waste.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

FATTY ALCOHOL ETHOXYLATE - REACH registered number(s): 01-2119487984-16-0000

EINECS	CAS		CLP Classification	Percent
-	68439-50-9	Acute Tox. 4: H302; Eye Dam. 1: H318		5-10%
DIDECYLDIME	THYLAMMONIUM	CHLORIDE - REACH registered number	er(s): 01-2119945987-15-0000	
230-525-2	7173-51-5	Acute Tox. 4: H302; Skin Corr. 1B: H314		1-5%
TETRASODIUM	I ETHYLENE DIAI	MINE TETRAACETATE - REACH regist	ered number(s): 01-2119486762-27-0000	
200-573-9	64-02-8	Acute Tox. 4: H302; Eye Dam. 1: H318		1-5%
PROPAN-2-OL	- REACH registere	ed number(s): 01-2119457558-25-0000		
200-661-7	67-63-0	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336		1-5%
SODIUM CARB	ONATE - REACH	registered number(s): 01-2119485498-	19-0013	
207-838-8	497-19-8		Eye Irrit. 2: H319	1-5%

Section 4: First aid measures

4.1. Description of first aid measures		
Skin contact:	Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to	
	drink immediately. Consult a doctor.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	The eyes may water profusely. There may be severe pain. The vision may become blurred.	
	May cause permanent damage.	
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach pain	
	may occur.	
Delayed / immediate effects:	Immediate effects can be expected after long-term exposure.	

KLEEN HYGIENE OROSEPT K

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Water spray. Water spray.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of nitrogen oxides. In combustion emits toxic fumes of hydrogen chloride / phosgene.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Collect contaminated fire extinguishing water seperately. This must not discharged into drains.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Keep unprotected people away and stay on the upwind side.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: No special measures are necessary. Always close containers tightly after the removal of product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Storage class: 12 (Non-combustible liquids)

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): GISCODE: GD30

KLEEN HYGIENE OROSEPT K

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

,	· .	-		•	
	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
	UK	999 mg/m3	1250 mg/m3	-	-

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves. Suitable material: NR (natural rubber), CR (polychloroprene) or NBR (nitrile rubber), category III according to EN 374. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Breakthrough time (maximal wear duration): Wear duration with occasional contact, splashes (Level 2: < 30 min): Disposable-gloves, Thickness of the material 0,1mm. Wear duration with permanent contact (Level 6: < 480min): Protective gloves, Thickness of the glove material 0,7 mm. Breakthrough times and swelling properties of the material must be taken into consideration.

Respirable dust

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:LiquidColour:ColourlessOdour:product specificOxidising:Non-oxidising (by EC criteria)Solubility in water:MiscibleViscosity:Non-viscous

Relative density: 1,02 g/ml

pH: 11-12

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

KLEEN HYGIENE OROSEPT K

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: No hazardous decomposition products if stored and handled as prescribed.

10.5. Incompatible materials

Materials to avoid: None known

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Delayed / immediate effects: Immediate effects can be expected after long-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
Dimethyldidecylammoniumchlorid: Guppy	96H LC50	1,2	mg/l
Daphnia magna	48H EC50	0,094	mg/l
EDTA: Leuciscus idus	96H LC50	>100	mg/l

12.2. Persistence and degradability

Persistence and degradability: The surfactant(s) contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: no data available.

KLEEN HYGIENE OROSEPT K

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: The product has not been tested. Data apply to the components with the highest toxicological

risk.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of waste according to applicable local, state and federal regulations.

Waste code number: 07 06 99

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No.
	1907/2006.
	* indicates text in the SDS which has changed since the last revision.
	Data references: Safety data sheets from our raw material suppliers
	Department issuing MSDS: Product Development Department;
	Contact: Ms. Tiemann, Ms. Klumpe
Phrases used in s.2 and 3:	H225: Highly flammable liquid and vapour.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	R41: Risk of serious damage to eyes.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and

KLEEN HYGIENE OROSEPT K

Page: 7

shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.

Classification for mixtures and used evaluation method according to article 9 of regulation (EC) 1272/2008 [CLP]: Calculation method